

Aiolos antibody (mAb)

Catalog No.: RA9015

Basic Information

Molecular weight

70 kDa

Category

Monoclonal antibody

Applications

ChIP, WB

Cross-Reactivity

Mouse

Background

Aiolos (also known as IKZF3, Ikaros family zinc finger 3 and ZNFN1A3) belongs to a family of zinc-finger proteins that also include Ikaros and Helios. Aiolos is a transcription factor that is important in the regulation of lymphocyte proliferation and differentiation, which is preferentially expressed in peripheral blood leukocytes, spleen and thymus tissue. Both Ikaros and Aiolos can also participate in chromatin remodeling.

Recommended Dilutions

Product Information

Source	Mouse
Isotype	IgG
Purification	Protein G Chromatography
Storage buffer	Purified IgG in 70 mM Tris (pH 8), 105 mM NaCl, 31 mM glycine, 0.07 mM EDTA, 30% glycerol and 0.035% sodium azide. Sodium azide is highly toxic.
Storage Conditions	Some products may be shipped at room temperature. This will not affect their stability or performance. Avoid repeated freeze/thaw cycles by aliquoting items into single-use fractions for storage at -20°C for up to 2 years. Keep all reagents on ice when not in storage.

Note: For in vitro research use only, not for diagnostic or therapeutic use, This product is not a medical device.


注意:在体外研究使用,不用于诊断或治疗用途,本产品不是医疗装置!

Web: www.ruisbio.com

Tel: 400-689-7068

Sales: sales@ruisbio.com





Aiolos pAb tested by Western blot. Detection of Aiolos by Western blot analysis. Aiolos was detected using a 1:1,000 dilution of Aiolos pAb with 20 ug mouse spleen tissue extract.

