

BRPF1 antibody (pAb)

Catalog No.: RA9028

Basic Information

Molecular weight

150 kDa

Category

Polyclonal antibody

Applications

WB

Cross-Reactivity

Mouse

Background

BRPF1 (bromodomain and PHD finger containing, 1) is a component of the MOZ/MORF complex which has a histone H3 acetyltransferase activity. The bromodomain recognizes acetylated histones and the PWWP domain has been reported to interact with trimethylated Lys36 of Histone H3 (H3K36me3). Positively regulates the transcription of RUNX1 and RUNX2.

Recommended Dilutions

WB 1:1000-1:2500

Product Information

Source	Rabbit
Isotype	IgG
Purification	Affinity Purified
Storage buffer	Purified IgG in PBS with 30% glycerol and 0.035% sodium azide. Sodium azide is highly toxic.
Storage Conditions	Some products may be shipped at room temperature. This will not affect their stability or performance. Avoid repeated freeze/thaw cycles by aliquoting items into single-use fractions for storage at -20°C for up to 2 years. Keep all reagents on ice when not in storage.


Note: For in vitro research use only, not for diagnostic or therapeutic use, This product is not a medical device.
注意:在体外研究使用, 不用于诊断或治疗用途, 本产品不是医疗装置!

Web:www.ruisbio.com

Tel:400-689-7068

Sales: sales@ruisbio.com





BRPF1 antibody (pAb) tested by Western blot. BRPF1 detection by Western blot. The analysis was performed using 20 ug mouse testis nuclear cell extract and BRPF1 antibody at a 1:1,000 dilution.

